



Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with * are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	Lenovo
e-mail address	Alvin L Carter	
	alcarter@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information		

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	SERVER
Commercial name *	ThinkSystem SR630 V3
	ThinkAgile HX630 V3 / VX630 V3
Model number *	7D72,7D74,7D73,7D6M,7D6U,7D6X
Issue date *	2023-01-10, updated 2023.10.1
Intended market *	☑ Global Europe Asia, Pacific & Japan Americas Other
Additional information	https://lenovopress.lenovo.com/lp1600-thinksystem-sr630-v3-server

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	7D72,7D74,7D73,7D6M,7D6U,7D6X	Logo	Long	N/0	
Issue dat	e *	2023-01-10, updated 2023.10.1		Lenc	JVU	TH.
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item		<u> </u>		Yes	No	N/A
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe concentr	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachl ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.	naximum			
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl vl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure					
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)					
P2.3*	Batteries and accumulators are readily removable. (See legal reference)			X		
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)					\boxtimes
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)					
P3	Conformity verification & Eco design (ErP)					
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see leg elaration of Conformity can be requested at: www.lenovo.com/us/en/compliance/eu-doc for EU; www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference).			
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	, ,	d information is;	ce/eco-			
	declarat					
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.			<u> </u>	
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	of the material(s	s) 🔀		
P5.3*	The prod	duct packaging material is free from ozone depleting substances as specified in the Nal reference). ht: Legal reference has no maximum concentration values.	Montreal Protoco	ol 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

leeun dat							
Issue date *		2023-01-10, updated 2023.10.1		Lend		тн	
	- Enviro	mental attributes - Market requirements (See General NOTE GN l Inmental conscious design		Requirer			
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	N/A	
P7		Disassembly, recycling		<u> </u>			
P7.1*		t have to be treated separately are easily separable			<u>Ц</u>	Щ	
P7.2*	Plastic m	aterials in covers/housing have no surface coating.		\boxtimes			
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.		\boxtimes			
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes			
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	\boxtimes			
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes			
	Product lifetime						
P7.7*	Upgradin	g can be done e.g. with processor, memory, cards or drives		\boxtimes			
P7.8*	Upgradin	g can be done using commonly available tools		\boxtimes			
P7.9	Spare pa	rts are available after end of production for: years					
P7.10	Service i	s available after end of production for: years					
		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
D7.40		type: <i>Metal</i> Material type: <i>Plastic</i> Materia	al type:		_		
P7.12		n materials of external electrical cables are PVC free.					
P7.13		n materials of internal electrical cables are PVC free.		Ц_	$\underline{\underline{X}}$	Щ	
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	retardants, and	_			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See ⁵ NOTE B2)						
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:						
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: chemical name: , CAS #:						
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:						
P7.18	concentr 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances ations above 0,1%: cal name: , CAS #: (See NOTE B4) cal name: , CAS #:	s/preparations in				
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4:				
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:					
P7.20*			ee note B5)				
F1.2U	If YES; a a) Of t a pe	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is %. weight of recycled material is g.	t (calculated as		<u>K</u>		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	7D72,7D74,7D73,7D6M,7D6U,7D6X	Logo	Lenovo
Issue date *	2023-01-10, updated 2023.10.1		Lei Iovo.
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No N/A

		stance requirements					
P7.21*	•	material content is used		•			
	,	ne of the two alternative		,	atad as a paraantags of		
	total plastic		the biobased plastic in	ateriai content (calcula	ated as a percentage of		
	or	by Worghity 10 70.					
		of the biobased plastic n					
P7.22*	Light sources are	free from mercury, i.e.				\square	
		I specify: Number of lan		um mercury content p			
P7.23*	<u> </u>	s an integral display, the	e total mercury content	in the integrated displ	lay: mg		\boxtimes
P8	Batteries						
P8.1*	Battery chemical composition: Lithium Manganese Dioxide						
P9		ption (See NOTE B8)					
P9.1		ne following power level			T		
Energy mod	de *	Power level at	Power level at	Power level at	Reference/Standard		
Peak (On-i	mayl	100 V AC W	115 V AC W	230 V AC W	modes and test meth	100	
Peak (OII-I	liax)	VV	VV	VV	ruii ioau		
Category	<u>/</u>						
EPS No-loa	ad	W	W	W			
	ower supply /						
	gged in the wall						
	isconnected from						
the product.) PTEC *		W	W	l W			
Typical Energy Consumption		""	**	, vv			
ETEC *		kWh/year	kWh/year	kWh/year			\boxtimes
Annual Energy Consumption		,	•	·			
External Po	ower Supply Efficie	ncy Level (International	Efficiency Marking Pro	otocol) * :			\boxtimes
Display res		negapixels					\boxtimes
Default time	e to enter energy s	ave mode: minut	tes				
P9.2*	Information about	the energy save function	on is provided with the	product.			
P9.3	Energy efficiency	class (monitors only):					\boxtimes
P10	Emissions	Dealers descending to	100 0000 (0 NOTE	DO	•		
P10.1		 Declared according to Mode description 	150 9296 (See NOTE		nit A-weighted sound pov	wer level 1	(R)
10.1	Idle	* Typical Configuration		* 6.7	iii A-weigined sound por	Wei level, LWA	.,c (D)
	Operation	* Typical Configuration (100% TDP)	* 7.7			$\overline{}$
	Idle	* GPU Configuration		* 6.7			
	Operation	* GPU Rich Configuration	n (Nvqaul+80%TDP)	* 8.3			
	Idle	* Storage Configuration		* 7.5			
	Operation * Storage Configuration (80% TDP+FIO) * 7.5						
	Measured accord	ing to: 🔀 ISO 7779 🗌	ECMA-74		· · · · · · · · · · · · · · · · · · ·		
		Other	(only if not covered by	ECMA-74)			
	Electromagnetic	emissions		,			
P10.4		meets the requirement	for low frequency elec	tromagnetic fields of t	he following voluntary		
	program(s):						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *			Logo	Long				
Issue date *	2023-01-10, updat	ted 2023.10.1				Leno	VO.	e ·
Product environn	nental attributes	- Market requirer	ments (continued)			Require	ment	met
Item						Yes	No	N/A
	nics for computing							
P12.1* The disp	lay meets the ergon	omic requirements o	of ISO 9241-307 for visua	l display technolo	ogies.			\boxtimes
P12.2* The phys	sical input device me	eets the requirement	ts of ISO 9995 and ISO 9	241-410.				\boxtimes
	ng and documenta							
Product Product Product	Product packaging material type(s): Paper - Corrugated Double wall weight (kg): 2.84 Product packaging material type(s): Paper - Corrugated single wall weight (kg): 0.228 Product packaging material type(s): Plastic - Solid EPE (solid Expanded polyethylene) weight (kg): 0.808 Product packaging material type(s): Plastic - LDPE (low density polyethylene) weight (kg): 0.113							
P13.2* Product	Product plastic primary packaging is free from PVC.							
	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 30 %							
	media for user and p ronic, ⊠Paper, □	oroduct documentation Other	on (tick box):					
Ùser and		em if paper docume ation on paper media						
Totally c	hlorine-free							
Elementa	al chlorine-free					\Box		
Processe	ed chlorine-free							
	ry programs							
P14.1 The proc	luct meets the requi	rements of the follow	ving voluntary program(s):				
Eco-labe	el: ENERGY STAR	Eco-label:	Eco-label:	Eco-labe	el:			
Eco-labe	el:	Eco-label:	Eco-label:	Eco-labe	el:			
P15 Addition	nal information (Se	e NOTE B10)						
			description of the teste					
the info supplier informa	rmation contained 's knowledge avail tion. The informati	in this document. A lable at the time of	uarantees, assurances All information provided completion, and suppli a approximate and prov n.	l by supplier in t er shall have no	this documen obligation to	t is provided update such	based	l on
P9 See Ene	ergy Star Qualified	Enterprise Servers	for the latest informati enter equipment/enterp					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot9 Information Sheet - Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

SERVERS

\sim			-		
Gene	ıral	ınt	`orn	natini	n

Contra micrimation					
Commercial name (3.1 (b))	Lenovo ThinkSystem SR630 V3	Logo			
	ThinkAgile HX630 V3 / VX630 V3				
Contact Address (3.1 (b))	7001 Development Dr. Building 7				
	Morrisville, NC 27560	New York Control of the Control of t			
	United States	Lenovo			
Model Number (3.1 (c))	7D72,7D74,7D73,7D6M,7D6U,7D6X				
Issue Date	2023-01-10, updated 2023.10.1				
Additional information					

Droduct	t environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3
1.a	
1.b	
(3.1 (a))	The rest of the re
	Tower Server Multi Node Server
4 -	Blade Server Data Storage product (Please go to "DATA STORAGE PRODUCTS" section
1.c (3.1 (d))	Year of manufacture: 2023
1.d (3.1 (p))	Product model part of a server product family?
(3.1 (β))	List of all model configurations that are represented by the model: https://lenovopress.lenovo.com/lp1600-thinksystem-sr630-v3-
1.e	Server Information on the secure data deletion functionality
(3.1 (n))	·
	(a) instructions on how to use the functionality:2 methods are provided to use the functionality.
	The thous are provided to use the functionality. Use a command line tool to do the secure data deletion on the remote target system via boot up a customized.
	Linux OS on it.
	Eg: OneCli.exe serase –bmc USERID:PASSWORD@xx.xx.xx.xxsftp root:password@xx.xxx.xx.xx:/home –log 5
	 Use BoMC to create a full functions bootable media, start the media and choose secure erase from the text meni techniques used:
	OS tools under Linux -> Standard Linux Open Source tool
	(c) supported secure data deletion standard (if any):
	Secure Erase/block Erase/Crypto Erase, Sanitize
	OR - Reference to other information:
	Hdparm: https://en.wikipedia.org/wiki/Hdparm
	Nvme-format: https://www.mankier.com/1/nvme-format
	sg_sanitize: https://www.systutorials.com/docs/linux/man/8-sg_sanitize/
	scrub: https://www.systutorials.com/docs/linux/man/1-scrub/
	storcli: https://docs.broadcom.com/docs-and-downloads/raid-controllers/raid-controllers-common-iles/StorCLI RefMan revf.pdf
1.f	Blade servers? X No Yes
(3.1 (o))	list of recommended combinations with compatible chassis:
	ing Data
2.a	Indicative weight range at component level, of the (a) Cobalt in the batteries (b) Neodymium in the HDDs
(3.3 (a))	following critical raw materials:
	between 5 g and 25 g between 5 g and 25 g
	□ above 25 g □ above 25 g
2.b (3.3 (b))	Instructions on the disassembly operations (a) the type of operation;
(0.0 (5))	(a) the type of operation, (b) the type and number of fastening technique(s) to be unlocked;
	(c) the tool(s) required.
	OR - Reference to other information:
	https://pubs.lenovo.com/sr630-v3/hardware_replacement_procedures

2.c	Firmware
	Reference to information on last available firmware:
	https://datacentersupport.lenovo.com/products/servers/thinksystem/sr630v3/7d72/downloads/driver-list/
Addition	al information

Server family specific information Family 1

Family no. / name		1 - 2 CPU populated family							
Model number(s) / Description		Standard or low-end performance configuration:							
(3.1 (c))		Processor (Minimum result of core count * frequency in family): INTEL GOLD 5415+ * 2, Storage:							
		20TB 3.5" HDD * 2, Memory: 16GB * 16, PSU: 1100W * 2, 1GbE RJ45 4-port * 1							
		High-end performance configuration: Processor (Maximum result of core count * frequency in family): Intel Platinum 8458P * 2, Storage:							
		Processor (Maximum result of	of core count * frequency in fa GB * 16, PSU: 1100W * 2, 1GbE	amily): Intel Platinum 8458P * 2, Storage:					
		You can refer to	3B 10, P30: 1100W 2, 1GDE	: KJ45 4-port 1					
		https://www.plugloadsolutions.com/80PlusPowerSuppliesDetail.aspx?id=49&type=1							
Addition	nal information	along with							
		https://lenovopress.lenovo.com/lp1600-thinksystem-sr630-v3-server							
Produc	Product environmental attributes (EU) 2019/424 – Annex II points 3.1 and 3.3								
F1.a	PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power								
(3.1 (e))	(expressed in % and	rounded to the first decimal place	ce): 🔲 Multi-output 🛮 🔀 Single	e-output					
		performance configuration(s):							
	10% 92.07 20% 95	5.44 50% 96.23 100% 94.6	Average 95.42						
	High-end performand	ce configuration(s):							
	10% 92.07 20% 95	5.44 50% 96.23 100% 94.6	Average 95.42						
F1.b	Power factor at 50 %	of the rated load level	standard or low-end performar	nce high-end performance					
(3.1 (f))	(rounded to three dec	cimal places)	configuration: 0.9955	configuration: 0.9955					
F1.c	PSU rated power out		standard or low-end performan						
(3.1 (g))	(in Watts rounded to	the nearest integer)	configuration: 1100	configuration: 1100					
	internal note:								
	If a product model is part of a ser- product family shall be reported w	ver product family, all PSUs offered in a server vith the information specified in (e) and (f)							
F1.d	idle state power		standard or low-end performar						
(3.1 (h))		d to the first decimal place)	configuration: 169.2	configuration: 201.0					
F1.e	List of all component	s for additional idle power allow	ances						
(3.1 (i))		standard or	low-end performance	high-end performance					
		configuration		configuration:					
	CPU Performance		et (10 × PerfCPU W)	1 Socket (10 × PerfCPU W)					
			et (7 × PerfCPU W)	2 Socket (7 × PerfCPU W)					
<u>ş</u>	Additional PSU	Yes #: 1	et (7 × 1 ellol o vv)	Yes #: 1					
mer	HDD	Yes #: 2		No #: 0					
ustr	SDD	No #: 0		Yes #: 2					
adj	Additional memory Yes #		GB	Yes #: 1020GB					
ces	Additional buffered DDF	R channel Yes #: 8		Yes #: 8					
idle power allowances adjustments during testing	Additional I/O devices	none		none					
		< 1 Gb/s:	No Allowance	< 1 Gb/s: No Allowance					
er a		= 1 Gb/s:	2,0 W/Active Port	= 1 Gb/s: 2,0 W/Active Port					
MOC N			and < 10 Gb/s: 4,0 W/Active Port	> 1 Gb/s and < 10 Gb/s: 4,0 W/Active Port					
e E			and < 25Gb/s: 15.0 W/Active Port	≥ 10 Gb/s and < 25Gb/s: 15,0 W/Active Port					
. <u>u</u>			and < 50Gb/s: 20,0 W/Active Port	≥ 25 Gb/s and < 50Gb/s: 20,0 W/Active Port					
		 		≥ 50 Gb/s 26,0 W/Active Port					
F1.f	maximum power	2 50 Gb/s	26,0 W/Active Port standard or low-end performar	· · ·					
(3.1 (j))		d to the first decimal place)	configuration: 433.6	configuration: 1133.7					
F1.g	operating condition c		standard or low-end performar	· ·					
(3.1 (k))	(as defined in Table (configuration:	configuration:					
	•	,	□A1 ⊠A2 □A3 □A4	☐A1 ☐A2 ☐A3 ☐A4					
			Exception comments	Exception comments					
			https://lenovopress.lenovo.com/ 0-thinksystem-sr630-v3-server						
F1.h	idle state nower at th	e higher boundary temperature	standard or low-end performal	-thinksystem-sr630-v3-server nce high-end performance					
(3.1 (l))		ating condition class (in Watts)	configuration: 221.3	configuration: 238.2					
F1.i		ency and the performance in	standard or low-end performar						
(3.1 (m))	active state of the server;		configuration: 24.5	configuration: 49.2					

Server family specific information Family 2

Family no. / name		1 - 1 CPU populated family				
Model number(s) / Description		Standard or low-end performance configuration:				
(3.1 (c))		Processor (Minimum result of core count * frequency in family): INTEL BRONZE 3408U * 1, Storage:				
		20TB 3.5" HDD * 2, Memory: 32GB * 8, PSU: 1100W * 2, 1GbE RJ45 4-port * 1				
		High-end performance config	guration:	miled: Intel Distingue 0450D * 4. Ctorono.		
		480GB SSD * 2, Memory: 640	of core count " frequency in fa GB * 8, PSU: 1100W * 2, 1GbE F	mily): Intel Platinum 8458P * 1, Storage: RJ45 4-port * 1		
		You can refer to				
Addition	nal information	https://www.plugloadsolutions.com/80PlusPowerSuppliesDetail.aspx?id=49&type=1				
		along with https://lenovopress.lenovo.com/lp1600-thinksystem-sr630-v3-server				
Produc	t environmental attri	butes (EU) 2019/424 – Annex I		VO SCIVEI		
F1.a		% (if applicable), 20 %, 50 % an				
(3.1 (e))			ce): Multi-output Single	-output		
	(expressed in 70 and	Tourided to the mot decimal place	oc). Main output 🔀 oingle	output		
	Standard or low-end	performance configuration(s):				
	10% 92.07 20% 95	5.44 50% 96.23 100% 94.6	Average 95.42			
	High-end performand	oo configuration(s):				
		5.44 50% 96.23 100% 94.6	Average 95.42			
	1070 02:07 2070 00	3070 30.20 10070 34.0	7. Voluge 30.42			
F1.b (3.1 (f))		of the rated load level	standard or low-end performan			
F1.c	(rounded to three de		configuration: 0.9955 standard or low-end performan	configuration: 0.9955 ce high-end performance		
(3.1 (g))	(in Watts rounded to		configuration: 1100	configuration: 1100		
((0))	•	the nearest magery	oomigaration. 1700	cornigaration. 1100		
	internal note: If a product model is part of a ser	ver product family, all PSUs offered in a server vith the information specified in (e) and (f)				
F1.d	idle state power	vith the information specified in (e) and (f)	standard or low-end performan	ce high-end performance		
(3.1 (h))	•	ed to the first decimal place)	configuration: 106.4	configuration: 120.6		
F1.e	List of all component	ts for additional idle power allow		oomigaration ?		
(3.1 (i))	'	<u> </u>				
			low-end performance	high-end performance		
l —	CPU Performance	configuration		configuration:		
_ω	CPU Periormance		et (10 × PerfCPU W)	1 Socket (10 × PerfCPU W)		
			et (7 × PerfCPU W)	2 Socket (7 × PerfCPU W)		
ll tu	Additional PSU	No #: 1		Yes #: 1		
stm	HDD SDD	Yes #: 2 No #: 0		No #: 0 Yes #: 2		
ll gg	Additional memory	Yes #: 2520	GR	Yes #: 508GB		
power allowances adjustments during testing	Additional buffered DDF		<u> </u>	No #: 0		
l te	Additional I/O devices	none		none		
ow.		 	A. A.II	< 1 Gb/s: No Allowance		
la la			No Allowance			
) we			2,0 W/Active Port	= 1 Gb/s: 2,0 W/Active Port		
ll g			and < 10 Gb/s: 4,0 W/Active Port	> 1 Gb/s and < 10 Gb/s: 4,0 W/Active Port		
<u>ā</u>			and < 25Gb/s: 15,0 W/Active Port	≥ 10 Gb/s and < 25Gb/s: 15,0 W/Active Port		
		≥ 25 Gb/s	and < 50Gb/s: 20,0 W/Active Port	≥ 25 Gb/s and < 50Gb/s: 20,0 W/Active Port		
		≥ 50 Gb/s	26,0 W/Active Port	≥ 50 Gb/s 26,0 W/Active Port		
F1.f	maximum power		standard or low-end performan	0 .		
(3.1 (j))		d to the first decimal place)	configuration: 243.8	configuration: 603.7		
F1.g (3.1 (k))	operating condition of		standard or low-end performan			
(3.1 (k))	(as defined in Table	o or ErP lot 9)	configuration:	configuration:		
			A1	□A1 ⊠A2 □A3 □A4		
			Exception comments	Exception comments		
			https://lenovopress.lenovo.com/l	Exception comments p160 https://lenovopress.lenovo.com/lp1600		
			0-thinksystem-sr630-v3-server	-thinksystem-sr630-v3-server		
F1.h		e higher boundary temperature	standard or low-end performan			
(3.1 (I))		ating condition class (in Watts)	configuration: 151.4	configuration: 153.8		
F1.i		ency and the performance in	standard or low-end performan			
(3.1 (m))	active state of the se	rver;	configuration: 14.9	configuration: 49		